GENETICS

A PERIODICAL RECORD OF INVESTIGATIONS
BEARING ON HEREDITY AND VARIATION

VOLUME 26 - 1941

WITH TEN PLATES AND EIGHTY-FIVE TEXT FIGURES

PUBLISHED BY THE
BROOKLYN BOTANIC GARDEN
BROOKLYN, NEW YORK
U. S. A.



INDEX TO VOLUME 26

Page numbers printed in **boldface** refer to headings and main citations

aberration (See chromosomal aberrations)
A-B agglutinogens, 223–233
ABRAMOWITZ, M., 327, 441
abstracts, Genetics Society, 137–175
Acnida tamariscina, 162
Acrididae, 144
ADAMS, R. B., 223
AIDA, T., 576
AKAO, A., 604
Albizzia lebbeck, 319
ALLAN, PHILIP F., 283
Allium, chromosomal aberrations, **418**–425
Allium cepa, **89**–100
ALPATOV, W. W., 508
Amarillo College, 1
American Museum of Natural History, 153
Amherst College, 156, 165
amphidiploids, 301
Anas platyrhynchus, 143
ANDERSON, EDGAR, 416, 633
ANDERSON, E. G., **452**–459, 460, 624
ANDERSON, R. L., 589
Antirrhinum majus, 93
aphids
  temperature, 159
  temperature and wing development, 168
Apotettix eurycephalus, 162
ARARATIAN, A. G., 12
Arnold Arboretum, 418
ARRICK, M. S., 152, **573**–586
Artemia salina, 69, 70
ARTOM, C., 69, 84
ASMUNDSON, V. S., 434, 435
ATWOOD, SANFORD S., 137
AUERBACH, C., 337
AVERY, A. G., 138
AVDULOW, N. P., 608, 609

BACKMAN, G., 219
bacterial colonies, 174
BAIN, H. F., 147
BALLOWITZ, E., 580
BANTA, A. M., 166
BARIGOZZI, C., 69
BARROWS, FLORENCE, 137
BARROWS, W. M., 352
BARTLETT, M. S., 53
BATAILLON, E., 82
BATES, R. C., 15, 169
BAUER, H., 1, 3, 4, 6, 8, 10, 12, 16, 17, 518
BAXTER R. C., 169
BEADLE, G. W., 104, 118, 242, 280, 320, 341, 343, 377, 440, 466, 508, 589, 604, 624, 625, 643
BEATTIE, J. H., 93
BECHER, H., 581
BECKER, E., 577, 589, 597
BELLAMY, A. W., 573, 574
BELLING, J., 70, 102, 128, 378
BERGE, S., 192, 205, 218, 220
BERGER, C. A., 137
BERGNER, A. D., 138, 506, 513
Bery decadactylus, 580
Betta rubra, 581
Betta splendens, 153, **573**–586
Biorhiza eburnea, 158
BLACK, J. D., 417
BLAIR, ALBERT P., **398**–417
BLAIR, P. F., 417
BLAIR, W. FRANK, 138, 416
BLAKESLEE, A. F., 93, 138, 142, 168, 173, 227, 310, 378, 498
BLANC, R., 139, 140
blood cells in man, **223**–233
BLOOM, W., 474
BLOSSOM, PHILIP, 283
BODENSTEIN, D., 338, 343, 357
body size in mice, rats, rabbits, **177**–191
BOGART, R., 474, 481, 483, 484
Bombyx mori, **587**–607
  cinnabar substance, 587
  genes
    brown-2k, 5[illegible]7
    pink, 587
    white-1, 587
  vermilion substance, 587
BONNIER, G., 104, 433
BÖÖK, J. A., 85
BOOTHROYD, E. R., 140
BOSWELL, V. R., 93
BOUQUET, A. G. B., 381
BOWDEN, W. M., 140
BOYES, J. W., 498
BRADBURY, DOROTHY, 498, 500
BRADT, G. W., 283
BRASTED, ADAIR, **347**–373
BREHME, KATHERINE S., 141
BREIDER, H., 573–575, 581
BREISSER, E., 301, 302
BRENEMAN, W. R., 416
BRIDGES, C. B., 3, 16, 48, 61, 69, 84, 133, 348, 350, 441, 446, 506, 512, 515, 521
BRIDGES, P. N., 48
BRIEGER, F., 301, 302, 319
BRIERLY, JEAN, 58
BRIGGS, L. C., 156
BRINK, R. A., 52, 452, **487**–505
BRITTINGHAM, WM. H., 141
BROCKMAN, H., 577
Brown University, 166, 192
BRUCKNER, J. H., 142
BRYANT, L. R., 499, 500
BUCHHOLZ, J. T., 142, 310
BUCKNER, PERRY, 487
Bufo americanus, **398**–417
Bufo calamita, 82
Bufo fowleri, **398**–417
Bufo quercicus, **398**–417
Bufo terrestris, **398**–417
Bufo valliceps, **398**–417
Bufo viridis, 82
Bufo woodhousii, **398**–417
bullterriers, coat color, 156
BURDETTE, W. J., 143

BURKHARDT, G. N., 580
BURKS, BARBARA S., **223**–233
BURNHAM, C. R., 143, 453, **460**–468, 624
BURRELL, P. C., 322
BUSHNELL, R. J., 143, 434
BUTENANDT, A., 589, 592, 597, 598, 605
butterflies, 152
BYERLY, T. C., 434, 437

Cairina moschata, 143
California Institute of Technology, 1, 347, 348, 460, 469, 517
Carassius auratus, 580
Carnegie Institution of Washington, 23, 138, 141, 149, 151, 157, 160, 168, 172, 173, 223, 283, 348, 515
CAROTHERS, E. ELEANOR, 144, 534
CARPENTER, F. W., 353
CARTLEDGE, J. L., 93, 453, 467
CASE, ANNETTE ALSOP, **474**–486
CASKEY, C. D., 434
CASTLE, W. E., **177**–191, 299, 352, 354, 474, 657
CATCHESIDE, D. G., 1, 643
Cavia rufescens, 656
CHARLES, DONALD R., 371
CHASE, H. B., 144, 220, 651
CHASE, H. D., 416
CHEN, TSE-YIN, 326, 327, 329, 337
CHENEY, G., 223
CHESIRE, L., 200
CHESLEY, P., 327
CHEVAIS, S., 341, 342, 447, 587, 589, 592, 597
chiasma interference, **128**–136
chiasma pairs, 101
CHILD, G., 65, 66, 341, 353, 357
CHINO, M., 524–526
CHIPMAN, R. H., 301
CHRISTOFF, M., 487
chromatid interference, **101**–127
chromosomal variations, **1**–22
chromosome aberrations, 3, 152, **632**–649
  in Allium, **89**–100
  X-ray induced, **418**–425
chromosome abnormalities, 161
chromosomes
  breakage points, 4
  broken ends in maize, 234
CLANCY, C. W., 508
CLARK, F. J., 95, 278, 279, 418
CLARK, FRANK H., **283**–300
CLELAND, R. E., 416
CLAUSEN, R. E., 145, 301, 302, 320, 322, 521, 542
coat color in bullterriers, 156
COCHRAN, H. L., 384
COCHRANE, F., 597
Coe College, 171
colchicine, 147, 149, 162
COLE, R. K., 145, 434
Colias eurytheme, 152
Colias philodice, 152
Colisa fasciata, 153, **573**–586
Colisa lalia, 153, **573**–586
color genes and body size, **177**–191
color variation in Chihuahua deer-mouse, 138
Columbia University, 23, 148, 155, 170, 325 398, 440
COMBS, J. D., 351, 359
CONDIT, I. J., 383
Connecticut Agricultural Experiment Station, 460
COOPER, D. C., **487**–505
COPELAND, F. C., 95, 279, 418
Cornell University, 142, 145, 150, 151, 162, 460, 608
Cornell University Medical College, 145, 167
Cottus bubalis, 580
cranberries, 147
CREIGHTON, H. B., 258
Crenilabrus parvo, 580
CREW, F. A. E., 84, 523
CROTTA, RITA, 70, 81
CROW, J. F., 146
CSIK, L., 64
Cucurbita Pepo, 137
Cucurbita pollen, 137
cucurbits, fruit development, 168
CULBERTSON, C. C., 220
CUMLEY, R. W., 146
CUNNINGHAM, J. T., 580
CURRY, MRS. V. S., 347, 348, 361, 362
CURTIS, M. R., 148
Cyprinus carpio, 580

Dactylis glomerata, **162**
DAHL, A. O., 613
DALAND, G. A., 223
DALCQ, A., 69
DANFORTH, C. H., 184, 192, 228
Daphnia longispina, 166
Dartmouth College, 52, 152, 163, 506
DARWIN, C., 435
DARLINGTON, C. D., 19, 102, 122, 128, 378, 609, 613, 637, 650
Datura
  genes, 138
  pollinations, 148
  prime types, 138
Datura metel, 498
Datura stramonium, 139, 498
DE BEAUFORT, L. F., 576
DEMEREC, M., 1, 4, 6, 8, 10, 12, 16, 17, 19, 31, 52, 151, 569
DERMEN, H., 70, 82, 147
DERRICK, G. E., 328
DETJEN, L. R., 500
DETLEFSEN, J. A., 656
DICE, L. R., 283–285, 293, 416
DIEDERICH, GERTRUDE WYLIE, 148
DOBZHANSKY, TH., 1, 4–6, 8, 9, 16, 18, 20, **23**–51, 320, 349, 358, 417, 518, 519, 522
dog, thyroid gland, 173
DOLK, H. E., 460
DONALD, H. P., 517, 523, 525
DORRIS, F., 437
DORSEY, M. J., 499–501
doves, 146
DRESBACH, M., 223
DRIVER, E. C., 325, 330
"Drosera scheme," 301
Drosophila
  cinnabar substance, 587
  dicentric chromosomes, 165
  genes
    abdomen rotatum, 526
    approximated, 527

apricot, 524
apterous, 527
ascute, 525
balloon, 527
Bar, 593
Bare, 520
Beaded, 526
Beadex, 519, 521, 524
bifid, 527
black, 525
bobbed, 520, 521, 523, 524
branched, 526
brick, 524
broken, 524
brown, 520, 525, 526, 593
cardinal, 520
cinnabar, 521, 525, 526, 588
claret, 524
clipped, 525, 527
clot, 526
compressed, 523, 525, 527
concave, 524
confluent, 522, 524
crossveinless, 524
crumpled, 524
cubitus incompletus, 521
cubitus interruptus, 521, 526
curled, 522
cut, 519, 524
dachs, 527
dachsoid, 526
dachsous, 525
decline, 524
deformed, 525, 527
Delta, 520, 521, 522, 524, 527
detached, 525
dihedral, 525
dumpy, 525
dusky, 519, 523, 524
ebony, 524
echinus, 524
eosinoid, 526
fat, 526
flipper, 525
forked, 519, 521, 523, 524, 527
four-jointed, 526
Gap, 520, 526
garnet, 524, 525
glazed, 524
hairless, 522, 523
Henna, 525
hunch, 525
incomplete, 525
intwined, 526
Jagged, 526
jaunty, 522
javelin, 523
Knot, 527
lance, 526
lanceolate, 525, 526
magenta, 524
mahogany, 526
miniature, 519, 521, 524
morula, 526
net, 522, 525, 526
Notch, 519, 521, 522, 524
ocelliless, 523
Plexate, 520, 522
plexus, 520, 522, 525, 526
Plum, 520, 525
Puffed, 520
pupal, 525
radius incompletus, 521, 523, 524, 527
ragged, 524
reduced, 525
rolled, 525
rose, 525
rough, 525
ruby, 524
rudimentary, 524, 527
ruffled, 526
Scalloped, 527
scarlet, 525, 526
scute, 519, 521, 523, 524, 527
sepia, 523, 526
serrate, 525, 527
Shaven, 520, 523, 526
short, 525, 527
singed, 519, 521, 524, 527
small bristle, 524
spread, 525
Squat, 525
Star, 525
straw, 526
stubby, 526, 527
stump, 527
square, 527
telescoped, 525, 527
tiny bristle, 524
triple, 527
veinlet, 525, 527
vermilion, 519, 521, 522, 524, 527, 588
vesiculated, 524
vestigial, 526
wavy, 524
white, 519, 521, 522, 524, 526, 593
yellow, 519, 521, 524, 527
homologies of chromosome elements, **517**–541
Information Service, 327
pigment formation, **587**–607
salivary chromosomes, 155
sex combs, 348
speciation, 146, 154, 160, 164, 166, 171, 174
vermilion substance, 587
Drosophila affinis, 517, 518
Drosophila algonquin, 1, 517
Drosophila ananassae, 517, 518, 593
Drosophila athabasca, 161
Drosophila azteca, 1, 517
Drosophila busckii, 517, 521
Drosophila funebris, 517, 521
Drosophila hydei, 163, 517, 521
Drosophila macrospina, 160
Drosophila melanica, 154
Drosophila melanogaster, 1, 4, 8, 12, 15, 16, 17 33, 40, 48, 52–68, 133, 593
Bar allels, 155
chaetae, 52–68
chromosome fragments, 157
crossing over, 163, 506–516
dominant lethals, 151
eye discs, 170
genes
achete, 172
aristaless, 441
Bar, 148, 154, 155, 170, **325**–346, **440**–451

black, 154, 441
bobbed, 172
brown, 443
claret, 163
curled, 163, 506, 509
curly, 156, 441–443
curved, 441
dumpy, 441
engrailed, **347**–373
eyeless, 16, 326
facet, 155
forked, 155, 164
glass, 326
hairy, **52**–68, 163, 506
Hairy wing, **52**–68
Hairless, 442
Lobe, 326
lozenge, 163
Minute, 141
morula, 443
plexus, 333, 441–446
plum, 442
polychaetoid, 52–68
purple, 348, 441
roughoid, 163, 506
scarlet, 163, 506, 509
scute, 140
sooty, 154, 163, 506–515
sepia, 53–55, 58–64, 67
speck, 156, 333, 441–446
Star, 156
stripe, 163, 442, 506
stubble bristle, 442
thread, 163, 506
vermilion, 163, 164
vesiculated, 163
vestigial, 139, 154
white, 148, 149
yellow, 53–67, 148, 154, 164, 172
genes in wild strains, 164
homozygous vestigial phenotype, 154
inversion
delta-49, 163
larval nutrition, 163, **506**–516
mating between yellow-white and wild type, 148
Minute larvae, 141
populations, 156
scutellum, temperature, 362
terminal deficiency, 172
translocation, 154
ultra violet radiation, 149
vestigial alleles, 139
X-radiation, reactions of scute stocks to, 140
Drosophila miranda, 517, 522
Drosophila montium, 517, 522, 593
Drosophila mulleri, 146
Drosophila pseudoobscura, 1–22, 23–51, 320, 349, 517, 523
genes
Blade, 24–43
Emarginate, 25
orange, 24–43
purple, 24–43
Scute, 24–43
inversions, 1–22
translocations, 1–22
Drosophila repleta, 174
Drosophila simulans, 349, 517, 523
Drosophila suzukii, 526
Drosophila virilis, 164, 517, 524, 593
mutations in wild strains, 171
sexual isolation, 170
Drosophila willistoni, 517, 527
Drosophilinae
ejaculatory sac diverticula, 165
reproductive tract morphology, 166
DUBININ, N. P., 1, 16, 40
DUNN, L. C., 182, 327, 344, 434
DUNNING, W. F., 148
DUNTLEY, S. Q., 474, 483
DURAND, E., 149

Edison Institute, 283
EDMUNDS, H. W., 632
EDWARDS, E. A., 483
EIGENBRODT, H. J., 351, 355
EIGSTI, O. J., 149
EINSET, J., 150
EKER, R., 348, 368
ELLIS, N. R., 434
ELVERS, I., 320
embryo sac development, 310, 316, 317
EMERSON, R. A., 242, 452, 456–458, 460, 624, 625
EMERSON, S., 104, 118, **469**–473
ENZMANN, E. V., 329, 336–338, 424
EPHRUSSI, B., 341–343, 447, 569, 587, 589, 592, 597, 598
ESSKUCHEN, E., 474, 481
EULER, H. VON, 580
Euphorbia granulata, 84
Euplotes patella, 158
gene
mating type, 158
Eurycea bislineata, 69, 81, 84

FANKHAUSER, G., 69, 70, 72, 73, 78, 80, 81, 82, 84, 85, 150
FANO, U., 151
FELL, H. B., 437
FENT, LEE, 474
FERRY, R. M., 527
fish
gene-controlled pigments, 152, **573**–586
genes
comet, 153
pigment factor, 575
red, 575
spotted, 574
stippled, 575
intraspecific and intergeneric crosses, 153
FISCHER, H. E., 151
FISHER, R. A., 198, 224, 225, 660
FISK, E. L., 608
fowl, semi-lethal mutation in, **426**–439
FOX, D. L., 577, 579, 580
FRANCIS, G., 580
FRANKEL, O. H., 320
FRANKLIN, ALICELIA, 168
FRASER, A. C., 242, 573, 624, 625
FREDE, M., 218
FREEMAN, V. A., 192, 220
FREY, H., 192
FUJII, S., 526

Fundulus chaperi, 581
Fundulus parvipinnus, 580
FURROW, E. Y., 328
FURTH, J., 145

GAIGE, MRS. H. T., 417
gall wasp, 158
Galton and Mendel Memorial Fund, 69, 283
GATES, W. H., 299
gene interaction, **52**–68
Genetics Society abstracts, 137–175
GERASSIMOVA, HELEN, 418, 646
GEROULD, J. H., 152
GILES, MRS. DOROTHY, 424, 648
GILES, N., 89, 92, 98, 152, **632**–649
GLANCY, E. A., 524
GLUECKSOHN-SCHOENHEIMER, S., 327
GOLDSCHMIDT, R., 63, 65, 84, 326, 327, 331, 332, 440
GONZALEZ, B. M., 58
GOODRICH, H. B., 152, **573**–586
GOODSPEED, T. H., 301, 322
GORDON, M., 153, 573–575
GORTNER, R. A., 474, 483
GOWEN, J. W., 153, 174, 389, 506
GREEN, C. V., 299
GREEN, EARL L., **192**–222
GREEN, M. M., 154
GREENLEAF, WALTER H., **301**–324
GREENLEAF, VIDA, 322
GREGORY, P. W., 299, 650
GREMMEL, F., 474
GRIFFEN, A. B., 154, 164, 526, 534, 535
GRIFFITHS, RAYMOND B., **69**–88
GROSS, F., 69, 70
GRÜNEBERG, H., 371
guinea pig
  genes
    albinism, 650
    albino series, 475
    black, 475
    brown, 475, 650
    chocolate, 475
    extension factors, 475
    fading, 650
    modifier, 650
    non agouti, 650
    pink, 479
    pink eye, 650
    polydactyly, 650
    rough, 650
    self-yellow, 650
    spotting, 650
    tortoiseshell, 650
  linkage, **650**–669
  pigment formation in, **474**–486
GUSTAFSON, F. G., 383, 384
GUSTAFSSON, A., 423

HAGER, R. P., 155
HAGERUP, O., 84
hair color, **223**–233
HALDANE, J. B. S., 53, 128, 135, 230, 650
HAMADA, T., 603
HAMBURGER, V., 437
Haplocheilus chaperi, 581
haploidy in the newt, **69**–88
HARMAN, MARY T., **474**–486
HARMS, J. W., 84
HARNLY, M. H., 65, 598
HARNLY, M. L., 65
HARTMANN, G., 227
Harvard University, 89, 152, 172, 418, 632
HASKINS, C. P., 329, 336–338
HASIMOTO, H., 70
HAWKINS, L. E., 474, 482
HAWTHORN, L. R., 384
HEARNE, E. M., 101, 103, 104, 109, 117
HEDENBURG, M., 580
HEINICKE, A. J., 499
HEITZ, E., 518
HELFER, R. G., 1–22
HENDLEY, CHARLES, 443
HERIBERT-NILSSON, N., 93
HERSH, A. H., 65
HERTWIG, G., 69, 82
HERTWIG, P., 69, 82
Herophis aequoreus, 580
HETZER, H. O., 220
HICKIE, PAUL, 283
HILL, G. A., 152, **573**–586
HILL, HELEN D., 162
HINTON, T., 155
HIRATSUKA, E., 604
HOGE, M. A., 351
HOLLAENDER, A., 149
HOLLANDER, W. F., 435
homologies of chromosome elements, **517**–541
HONDA, N., 601
HONER, E., 63
HOOVER, M. E., 19, 52, 569
HORTON, I. H., 523
HOULAHAN, M. B., 149
HOWELL, A. H., 283
HOWLAND, R. B., 341, 524
HUBBS, C. L., 416
HUBRICHT, L., 416
HUDSON, J. C., 419
HUESTIS, R. R., 283
HUGGINS, S. E., 436
HUGHES, R. D., 526
human genes, 169
human pathology, 167
HUMPHREY, L. M., 387, 608
HUNT, H. R., 474, 482
HUNTER, W. C., 223
HUSKINS, C. L., **101**–127, 128, 129, 135
HUTCHISON, C. B., 265
HUXLEY, J. S., 326, 327, 331
Hypsypops rubicunda, 580

IBSEN, HERMAN L., 474, 481, 483, 484
immogenetic studies of serum proteins, 146
Imperial Sericultural Experiment Station, 587
Indian Runner, 143
Indiana University, 158, 398
INNES, W. T., 575, 576
interspecific hybridization, 144
interspecific hybrids, 161
Iowa State College, 153, 170, 174
IRICHIMOWITSCH, A. I., 437
IRWIN, M. R., 146
IVES, P. T., 65, 156, 353

JEZEWSKA, M., 598
JOHANNSEN, O. A., 328

JOHANSEN, D. A., 309
Johns Hopkins University, 158
JONES, D. F., 245, 279
JORDAN, D. S., 576
JORGENSON, L. R., 569

KALISS, N., 156, 337, 339, 341, 569
Kansas Agricultural Experiment Station, 162
Kansas State College, 474
KARP, M. L., 59
KAUFMANN, B. P., 1, 4, 6, 8, 10, 12, 15–17, 157, 519, 534
KAWAGUCHI, E., 587, 589
KAWAMURA, T., 69, 84
KAYLOR, C. T., 69, 71, 81
KEELER, C. E, 157
KERKIS, J., 523
KERRIGAN, A. M., 574
KHOUVINE, Y., 342, 447, 589, 597
KIESSELBACH, T. A., 608
KIKKAWA, H., 133, 349, 513, 515, 519, 520, 522, 526, 536, **587**–607
KIMBALL, R. F., 158
KIN, J., 589
KING, HELEN DEAN, 186
KINSEY, A. C., 158, 416
KOLLER, P. C., 44, 388, 650
KOMAI, T. 605
KOOS, KATHERINE, 387, 389
KOSSIKOV, R. V., 19
KOSSWIG, C., 573, 574, 576, 581, 583
KOSTOFF, D., 301–303, 308, 318
KOTAKE, Y., 589, 592, 596–599, 604
KOZHUCHOW, Z. A., 608
KRAFKA, J., JR., 325, 326, 328, 336–340
KRAUS, E. J., 499
KRAYEVOY, I., 434
KRIVSHENKO, Y. D., 521
KROC, R. L., 416
KRUKENBERG, C. FR., 580
KÜHN, A., 599
KUHN, R., 577
KÜHNE, K., 192, 193, 218, 220
KUWADA, Y., 608, 612, 613
Kyoto Imperial University, 605

LAMMERTS, W. E., 301
LAMY, R., 523
LANCEFIELD, D. E., 16, 523
LANCEFIELD, R. C., 525, 527
LANDAUER, WALTER, **426**–439
LANDES, M., 319
larval nutrition, **506**–516
LAW, L. W., 299
LAWRENCE, W. J. C., 581
LAWSON, C. A., 159
LEAGUE, B. B., 658
LEDERER, E., 580, 581
LEE, F. A., 501
LERAAS, H. J., 283
LERNER, I. M., 435, 436
LESLEY, MARGARET MANN, 159, **374**–386, 389
LESLEY, J. W., 159, **374**–386, 389
lethals, 23–51
leukemia, 160
LEWITSKY, G. A., 12, 418, 534
LINDEGREN, C. C., 101, 117, 118, 127, 133
LINDEGREN, G., 101, 117, 118, 127, 133
LINDSTROM, E. W., **387**–397
linkage
  in man, **223**–233
  induced translocations in mice, 169
  human genes, 169
LOEHWING, W. F., 384
LONGLEY, A. F., 608, 610, 612, 613
LÖNNBERG, E., 580
LUCE, W. M., 342
LUDWIG, W., 506
LUERS, H., 521
LUSH, J. L., 220
LUTZ, A., 83
Lycopersicon esculentum, **387**–397
Lycopersicon pimpinellifolium, 395

MACDOWELL, E. C., 160
MACKNIGHT, R. H., 522
MACMUNN, C. A., 580
Macropodus opercularis, 153, **573**–586
MAHESHWARI, P., 319
MAINLAND, G. B., 160
maize (See *Zea mays*)
  B chromosome, 608–631
  genes, 170
    asynaptic, 452
    brachytic, 143, 452–458, 462–466
    brittle, 462
    brown midrib, 452–457, 462–465
    chocolate pericarp, 462
    colored aleurone, 237
    colorless aleurone, 237
    fine stripe, 143, 462, 465, 466
    glossy, 462
    glossy 6, 625
    glossy 7, 625
    glossy 9, 625
    golden, 462
    inhibitor, 265
    japonica stripe, 462
    lethal ovule, 320
    liguleless, 462
    narrow leaf, 625
    normal endosperm, 237
    normal green, 237
    normal starch, 237
    pericarp, 452–458, 462–465
    pollen abortion, 461–468
    ramosa, 143, 462
    red aleurone, 170, 462
    salmon silk color, 455
    shrunken, 237, 462
    slit blade, 625
    small pollen, 463, 467
    striate leaf, 452–458
    sugary, 320
    tassel seed 452–458
    tunicate, 462
    virescent, 462
    virescent 17, 625
    waxy, 237, 458, 459, 462
    yellow, 462
    yellow green, 237
    zebra, 625
  interchange between chromosomes, 143
  inversions, 170
  parthenogenetic diploids, 150

pollen abortion, **460**–468
sterility, 151
translocations, **452**–459
MALOTT, C. A., 416
Man
linkage, **223**–233
genes, 223–233
MANGELSDORF, P. C., 319, 320, 467, 612
MANN, M. C., 301
MARGOLENA, L. A., 310
MARGOLIS, O. S., 325, 326, 339, 447
MARQUARDT, H., 418
MARSHAK, A., 161, 419
MARTENS, J. L., 417
MASAYAMA, T., 597, 599, 604
MASON, E. D., 524
MATHER, K., 17, 23, 44, 102, 128, 135, 232, 349, 461, 512
MATHEWSON, ROBERT, 417
MATSUNO, M., 577
MATSUURA, H., 102
MATTOON, E. W., 325
MAVOR, J. W., 513
MAXIMOW, A. A., 474
MAXWELL, J., 589
McCLINTOCK, BARBARA, 19, 96, **234**–282, 377, 418, **542**–571, 610, 642, 643, 645
McGill University, 101, 128, 140, 155, 169, 170, 440
McNUTT, C. W., 166
MEDVEDEV, N. N., 326, 327, 329, 337, 339
megasporogenesis and embryo sac development, 310, 316, 317
Melandrium, 173
Melanoplus femur-rubrum, 101
MERCER, R. N., 576
methylcholanthrene induced tumors, 143
METZ, C. W., 518, 519, 521, 524, 525, 527, 528
MEYERS, F. H., 417
MILLER, A., 340
MILLER, D. D., 1, 161, 518, 519, 536
Minnesota Agricultural Experiment Station, 460
MOHR, O. L., 53
MOLS, G., 659
MOODY, PAUL A., 283
MORGAN, L. V., 12, 69, 643
MORGAN, T. H., 133, 433, 441, 521
MORI, K., 526
MORI, S., 604
MORIWAKI, D., 519, 520
MOSES, M. S., 524
MOSKOFF, M., 192, 208
MOTT-SMITH, L. M., 98
mouse
anophthalmic strain, 144
body size, **177**–191
correlation and body proportions, **283**–300
genes
agouti, 177
albinism, 169, 177
brachy, 169
brown, 169, 177
caracul, 169
dilution, 169, 177
eyeless, 144
flexed tail, 169
leaden, 169, 177
lethal yellow, 182
piebald, 169
pink-eye, 169, 177
pink-eye 2, 177
short-ear, 169, 177
spotting, 169
waltzing, 169
waved, 169
yellow, 177
leukemia, 145
linkage and translocations, 169
methylcholanthrene induced tumors, 143
skeletal variability, **192**–222
typhoid, 174
MULLER, H. J., 1, 19, 23, 65, 98, 133, 165, 277 462, 512, 513, 517, 569
MÜLLER-THURGAU, H., 499
Muraena helena, 580
MURIE, ADOLPH, 283
MURIE, O. J., 283
MURNEEK, A. E., 500
MURRAY, J. M., 162, 177
Mus musculus, 192
Musca vomitoria, 341, 598
Muscovey, 143
mutation
in *Drosophila pseudoobscura*, 23–51
in *Drosophila melanogaster*, 52–68
in *Zea mays*, 542–571
MYERS, W. M., 162

NABOURS, R. K., 162
National Institute of Health, 149
NAVASCHIN, M., 93, 98, 643, 646
NAWASCHIN, S., 534
NEBEL, B. R., 19
NEEL, JAMES V., **52**–68, 163, 353–356, **506**–516
Neurospora crassa, 101, 133
neutrons, chromosome abnormalities, 161
New York Aquarium, 153
New York State College of Agriculture, 608
NEWCOMBE, H. B., **101**–127, **128**–136
newt, 69–88
pentaploidy, 150
NICHOLS, CHARLES, **89**–100, 418, 646
NICHOLSON, A. J., 283
Nicotiana
somatoplastic sterility, **487**–505
sterility, 301–324
Nicotiana digluta, 321
Nicotiana glutinosa, 303, **487**–505
Nicotiana Rusbyi, 303
Nicotiana rustica, **487**–505
Nicotiana Setchellii, 303
Nicotiana sylvestris, 301–323
Nicotiana tabacum, 145, **487**–505
origin, **301**–324
monosomic analysis, **145**
Nicotiana tomentosa, 301–323
Nicotiana tomentosiformis, 301–323
Nicotiana triplex, 301
NORDENSKIOLD, M., 104, 433, 446
NORRIS, L. C., 434
North Texas Agricultural College, 164
NOVITSKI, E., **517**–541
nullisomics in *Triticum vulgare*, 167

OEHLKERS, F., 514

Oenothera organensis, **469**–473
  gene
    pollen lethal, 469
Ohio State University, 169, 173
OLIVER, C. P., 154, 163
OLMO, H. P., 502
OLSEN, M. W., 437
Oryzias latipes, **573**–586
Osaka Imperial University, 589, 596, 604
OSAWA, K., 605
OSGOOD, W. H., 283
OSIMA, T., 522
OSTENSON, B. T., 283
OTANI, S., 596, 604

PAINTER, T. S., 4, 163
Pantodon bucholsi, 581
Papaver Rhoeas, 319
PARISER, K., [illegible]
PARMENTER, C. L., 69
parafollicular cells of thyroid gland of dog, 173
parthenocarpy, 159
  in tomato, **374**–386
parthenogenetic diploids, 150
PÄTAU, K., 523
pathology, human, 167
PATRICK, JACK, 417
PATTERSON, J. T., 164, 337, 341, 526, 534, 535
PAYNE, F., 416
peaches, polyploidy in, 147
Pearlneck dove, 146
PEARSON, H. M., 502, 503
PEARSON, K., 198
PENG, R. T., 349, 522, 536
PENROSE, L. S., 224
Peromyscus, correlation and body proportions, **283**–300
Peromyscus eremicus, 283
Peromyscus leucopus, 283
Peromyscus maniculatus, 283
Peromyscus maniculatus blandus, 138
PETERSON, N. F., 608
Phasianus colchicus, 142
phenyl-thio-carbamide, 223
PHILIP, J., 634
pigment formation
  in Bombyx and Drosophila, **587**–607
  in guinea pig, **474**–486
pigment genes, 154
pigments in fish, 152, **573**–586
PIPKIN, SARAH BEDICHEK, 164
pitted ear, 171
PLAGGE, E., 589
Platypoecilus maculatus, 152, 153, **573**–586
Pleuronectus flesus, 580
PLOUGH, H. H., 506, 512
plumage color, 142
PLUNKETT, C. R., 65, 66, 352, 353
Poa compressa, 141
Poa pratensis, 141
POLITZER, O., 515
pollen abortion, 96
pollen tubes, 149
pollen tube growth, 142
pollination in Datura, 142
polyploidy
  cranberries, 147
  peaches, 147
  "resting" nuclei, 137
  winter hardiness, 140
PONSE, K., 84
PONTECORVO, G., 165
POOLE, C. F., 319
POTTER, J. S., 160
POWERS, L., 613
POWSNER, L., 330
PRICE, J. R., 581
Primula kewensis, 321
Princeton University, 69, 150
PROMPTOFF, A. N., 192
Prunus avium, 501
Prunus cerasus, 498
Prunus persica, 501

QUEAL, M. L., 23, 27, 32, 43, 44
QUISENBERRY, J. H., 181

rabbit, body size, 166, **177**–191
Rana esculenta, 69, 82
Rana japonica, 84
Rana nigromaculata, 69, 84
Rana pipiens, 69, 71
RANDOLPH, L. F., 70, **608**–631
rat
  body size, **177**–191
  longevity and tumors, 148
  shape difference in foramen magnum, 157
RAUTHER, M., 580
REDFIELD, H., 133
REED, S. C., 65, 66, 220, 299
REEVES, R. G., 612
RENNER, O., 498
RHOADES, M. M., 31, 280, 378, 463, 467, 534 622, 624, 640
RHOADES, V. H., 463, 467
RICHARDS, A. G., 340
RICHARDS, M. H., 328
RICHARDSON, M., 642
RICKER, W. E., 416
RIEDEL, H., 355
RILEY, H. P., 416
Ring dove, 146
ROBERTS, E., 180, 181, 183
ROBERTS, R. H., 499, 500
ROBERTSON, C. W., 53, 326, 339
Rockefeller Foundation, 487
ROKIZKY, P. TH., 52
Roscoe B. Jackson Memorial Laboratory, 169 177, 178, 183
ROSENBERG, O., 301
ROSENBLAD, L. E., 165, 166
ROSTAND, J., 70, 82
RUDNICK, D., 437

SACHS, P., 592, 595
SAFFIR, M., 200
SALMON, M. R., 227
Salmonella typhimurium, 174
SANFORD, K. K., 166
SATINA, S., 498
SAWIN, P. B., 166, 192, 193, 198, 208
SAX, K., 1, 69, 70, 82, 90, 91, 99, 104, 277, 279 **418**–425, 632, 633, 637, 642, 646, 648
SCHIEMANN, ELISABETH, 389
SCHKWARNIKOW, P. K., 98
SCHOPF, C., 577

SCHOTT, R. G., 227
SCHMALHAUSEN, J., 437
SCHULTZ, J., 65, 441, 643
SCHUURMAN, J. J., 598
SCHWEITZER, M. D., 167, 328
Scomber scombus, 580
SCOTT-MONCRIEFF, R., 581
SEARS, E. R., 167
seed failure, **487**–505
SEILER, J., 69
semi-lethal mutation in fowl, **426**–439
SEREBROVSKY, A. S., 1, 18, 506, 513
serum proteins, 146
SETTERFIELD, W., 227
sex linkage in man, **223**–233
SEYSTER, E. W., 325
shape differences in foramen magnum of inbred rats, 157
SHAW, A. M., 192, 212
SHIMIZU, M., 604
SHULL, A. F., 168
SINGLETON, W. R., 278, 319, 320, 460, 467
SINNOTT, E. W., 168, 327
SIVERTZEV-DOBZHANSKY, N. P., 23
SLIZYNSKA, H., 529
SLIZYNSKI, B. M., 37, 48, 529
SMITH, HOBART M., 283
SMITH, M. A., 576
SMITH, O., 384
SMITH, S. G., 104, 105, 109, 125
SNEDECOR, G. W., 217
SNELL, G. D., 169
SNYDER, L. H., 169, 227
SOCOLOV, D., 518, 519
SOKOLOV, N. N., 1, 16
Solanum filiforme, 389
Solenobia lichenella, 69
Solenobia triquetrella, 69
somatoplastic sterility, **487**–505
SONNEBORN, T. M., 416
SONNENBLICK, B. P., 524
SOUÈGES, M. R., 315–319
SOUMALAINEN, E., 69
SPARROW, A. H., 65, 66, 155, 169
SPASSKY, B. A., 23
SPENCER, W. P., 521, 526, 531
SPRAGUE, G. F., 170, 249, 278
STADLER, L. J., 1, 18, 19, 264, 278, 375, 460 466, 514
STALKER, H. D., 170, 526
STEBLER, ADOLPH, 283
STEGEMAN, L. C., 283
STEINBERG, ARTHUR G., 170, **325**–346, **440**–451
sterility in maize, 151
STERN, C., 348, 371, 506, 569
STEVENS, W. L., 129, 135
STILES, K. A., 171
STINO, K. R., 542, 643
STOCKARD, CHARLES R., 173
STOCKWELL, P., 309
STOMPS, T. J., 83
STONE, W. S., 164, 171, 526, 534, 535
Storrs Agricultural Experiment Station, 426
STOUT, A. B., 502, 503
STRAIN, H. H., 577, 579
STRAUSS, M. B., 223
STREICH, G., 436
Streptopelia chinensis, 146
Streptopelia risoria, 146
STRONG, L. C., 143
STRUNK, W. L., 283
STUBBE, A., 521
STUBBE, H., 89, 93, 98
STURTEVANT, A. H., 1, 6, 8, 9, 16, 17, 18, 20, 23, 31, 40, 41, 44, 48, 65, 170, 280, 342, 349 377, **517**–541, 643
SUMNER, F. B., 283, 299, 577, 581
SUTTON, E., 172
SUZUKI, K., 589
SVIHLA, ARTHUR, 283, 299
SVIHLA, RUTH, 283
SWANSON, C. P., 172, 278, 417, 642
SWETOSAROW, E., 436

TAN, C. C., 5, 15, 16, 517, 522, 523, 525, 526, 527, 529, 535
TANAKA, Y., 589
TATUM, E. L., 508, 589, 592, 597, 604
TAYLOR, M. J., 160
TAZIMA, Y., 598
TCHOU-SU, 82
temperature
  effect on aphids, 159, 168
  intersexuality in *Daphnia longispina*, 166
THOMPSON, W. P., 498
THURSTONE, L. L., 200
thyroid gland of dog, 173
TICE, S. C., 325
TIMOFEEF-RESSOVSKY, H. A., 368
TIMOFEEF-RESSOVSKY, N. W., 37, 48, 521
TINIAKOV, G. G., 16
TITUS, H. W., 434
toads, variation, **388**–417
tobacco mosaic, 153
TOLMAN, R. S., 224
tomato
  genes
    anthocyanin, 396
    beaked fruit, 396
    brachytic, 396
    clear, 374, 389
    compound, 389, 396
    dwarf, 374, 389, 396
    fasciated, 396
    green stem, 389
    hairy, 389, 396
    jointless, 396
    leafy, 396
    locule number, 396
    lutescent, 389
    nippled, 396
    ovate, 389, 396
    peach, 389
    potato leaf, 389, 396
    ridged, 396
    rolled, 396
    self-pruning, 389, 396
    tangerine, 396
    unripe, 389, 396
    wilty, 389, 396
    wiry, 389
    wooly, 396
    yellow, 374, 389, 396
  genetic stability, **387**–397
  parthenocarpy, 159, **374**–386

TORREY, T. W., 416
TOYAMA, K., 589
Tradescantia
  chiasmata, 172
  chromosome aberrations, **632**–649
  inversions, 172
Tradescantia canaliculata, 152, **632**
Tradescantia paludosa, 152, **632**
Trichoniscus elisabethae, 69
Trichoniscus provisorius, 84
Trifolium repens, self-compatibility, 137
Trillium erectum, **101**–127, **128**–136, 140, 169
Trillium grandiflorum, 169
Trimerotropis citrina, 144
Trimerotropis maritima, 144
triploidy and haploidy in the newt, **69**–88
Triticum vulgare, 167
Triton palmatus, 69, 81
Triton taeniatus, 85
Triturus viridescens, 69–88
  pentaploidy in, 150
TUFF, PER, 192, 205, 218, 220
TUKEY, H. B., 501
tumors in rats, 148

UDA, H., 589
ultraviolet radiation, 149
UMEYA, Y., 589, 605
University
  California, 139, 140, 145, 159, 161, 177, 301
  Chicago, 23, 148
  Connecticut, 143
  Edinburgh, 165
  Houston, 165, 166
  Illinois, 142, 144, 155
  Iowa, 144
  Michigan, 138, 168, 283, 284, 417
  Minnesota, 143, 154, 163
  Missouri, 167, 234, 460, 542
  Nebraska, 223
  Oklahoma, 149
  Rochester, 161, 170, 347
  Texas, 146, 154, 160, 163, 164, 171, 174
  Virginia, 140
  West Virginia, 460
  Wisconsin, 146, 487
U. S. Department of Agriculture, 167, 170
U. S. Horticultural Station, 147
U. S. Regional Pasture Research Laboratory, 137, 141, 162
UPCOTT, MARGARET, 378, 609, 613, 633, 634, 637, 643, 645
UPP, C. W., 435

VAN ATTA, E. A., 598
VANDEL, A., 69
variegation in bacterial colonies, 174
VICARI, E. M., 173
VILLEE, C., 140
VOGT, M., 521

WACHTEL, I. J., 656
WADDINGTON, C. H., 65
WAHLUND, S., 36
WAITE, N. B., 499
WARD, E. N., 160
WARD, L., 433
WARD, MORGAN, 23, 529
WARMKE, H. E., 173
WARREN, D. C., 438
WEATHERWAX, P., 280
WEBER, M., 576
WEIDEL, W., 589
WEINSTEIN, A., 104, 117, 135, 524
WEISMANN, A., 329, 337, 341
WEISS, M., 592, 595
Wesleyan University, 152, 573
WHARTON, LINDA T., 174
WHITE, M. J. D., 534
WILSON, G. B., 104, 105, 169
WINKLER, H., 381
Wistar Institute, 157, 186
WITSCHI, E., 84
Wittenberg College, 159
WRIGHT, SEWALL, **23**–51, 198, 202, 209, 220, 283, 474, 480, 482, 522, 532, **650**–669
WYANDT, HELEN, **223**–233

Xiphophorus helleri, 152, **573**–586
X-ray
  chromosomal aberrations induced by, **418**–425
  chromosomal variations, 1–22
  chromosome abnormalities, 161
  differential reactions to, 140
  dominant lethals, 151
  sperms of Drosophila, 157

Yale University, 168
Yale University School of Medicine, 143
YOKOYAMA, T., 604

Zea mays, 320, 377 (See maize)
  homozygous deficiencies, **542**–571
  stability of broken chromosomes, **234**–282
ZELENEY, C., 325
ZELLE, M. R., 174
ZENECK, R. VON, 580
ZIMMER, K. G., 37
ZUITIN, A. I., 33